

Performance-PCs.com

1701 R. J. Conlan Blvd. NE. Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

sales@performance-pcs.com











# Coolink SWiF 92 mm (921) - \$15.95 UV Blue - Sleeved

## **Product Images**





## **Short Description**

The SWiF (short for "Silent Whisper Fan") series is a result of Coolink's extensive experience and continued tradition of fan quality that has convinced hundreds and thousands of users over the years. The highprecision double ball bearing ensures optimal, long-term stable quietness, making the transparent-blue SWiF fans a perfect synthesis of excellent silent-performance, exciting design and reliable quality.

Fan cable is fully covered in nylon Techflex sleeving and premium heatshrink, colors of your choice!

## Description

The SWiF (short for "Silent Whisper Fan") series is a result of Coolink's extensive experience and continued tradition of fan quality that has convinced hundreds and thousands of users over the years. The high-precision double ball bearing ensures optimal, long-term stable quietness, making the transparent-blue SWiF fans a perfect synthesis of excellent silent-performance, exciting design and reliable quality.

Fan cable is fully covered in nylon Techflex sleeving and premium heatshrink, colors of your choice!

## **Features**

#### Features:

- Excellent airflow performance at minimal noise levels
- High precision double ball bearing
- Protective cable sleeving

### Includes:

- SWiF Fan
- Manual fan speed control
- PCI mounting bracket for adjustable fan speed knob
- 3:4 pin adaptor and fan screws

## **Specifications**

Size(mm):	92x92x25
Rotation Speed (RPM+/-10%):	800-1500
Airflow(m?/h):	31-55
Acoustical Noise (dB/A):	7-18
Input Power(W):	0.60
Input Current(A):	0.05
Voltage Range(V):	6-15

4/4/24

# Additional Information

SKU	SWIF-921
Weight	0.6000
Color	Clear
Fan Dimensions	92mm
Fan Width	25mm
Fan Connection	3-Pin
Fan Voltage	12 VDC
Fan RPM	1500
Fan CFM	50
Fan Noise (dB)	18



3 4/4/24