




Thermaltake 2-Bay Muse X-Duo RAID Storage, SATA to eSATA + USB2.0,- Dual 3.5" SATA HDD

\$299.95

Product Images



Short Description

The ultimate Dual SATA NAS with connection via network, e-SATA, and USB. With active cooling, superb software, and easy installation make this one of the finest external solutions you can buy on the market.

Description

Product Details:

The ultimate Dual SATA NAS with connection via network, e-SATA, and USB. With active cooling, superb software, and easy installation make this one of the finest external solutions you can buy on the market.

Features

Features:

- ✘ Storage Center
 - Share the contents via network.
 - Expand the storage via USB or card reader.
- ✘ Gigabit Ethernet
 - Networks easily and fast via the Gigabit Ethernet.
 - Supports all the major file serving protocols including CIFS, NFS, HTTP and FTP.
- ✘ RAID Configuration
 - Configures your system with two different RAID modes by HW RAID 0, 1
 - Provides up to 2TB of storage capacity by using 1TB HDD.
 - RAID 1 configuration can prevent data lost if one HDD malfunctions.
- ✘ Remote management
 - Supports web user interface for configuration, setting and management.
 - No IP setting required
 - Supports DHCP, Auto IP and Static IP
- ✘ Media Server
 - Supports UPnP and DLNA.
 - Streams your video, music, and photo contents to TV or stereo via DMA.
 - Supports BT download function
- ✘ FTP Server
 - Allows users to remote access the data.
- ✘ OTB Function
 - Backup files from digital camera, mass storage, SD/MMC/MS card via USB port or card reader.
- ✘ iTunes Jukebox
 - iTunes' users within the LAN can search and play music from Muse X-Duo RAID.



Digital Home Entertainment Scenario



What 1.5TB Could Holds



Up to 426,000 digital photos. (based on 3.5MB per photo)



Up to 375,000 songs. (MP3)(based on 4 minutes per song, 128kbps rate)



Up to 36,000 songs. (uncompressed CD quality) (based on 1:1 audio compression ration)



Up to 114 hours of Digital Video (DV) (based on 3.5MB per second, 12.6GB per hour)



Up to 600 hours of DVD quality video. (based on data rate of 5Mb per second, 2.25GB per hour)



Up to 180 hours of HD video. (based on 8.3GB per hour)

The results will vary based on file size and format, settings, features, software and other factors.) Total accessible capacity varies depending on operating environment.



Muse X-Duo RAID- RAID Function Introduction

RAID 0	Data can be separated and distributed across several different physical disks; some bytes are written to one disk, and the other bytes are written to another. This mode provides the highest performance without any redundancy.
RAID 1	All the data written to the one disk is duplicated on the other disk. This mode provides greater data protection since if one disk fails, all your data still intact on the other disk.
BIG	Several physical disks combined as a logical disks. In other words, the capacity of the logical drive is the total capacity of the physical drives. This mode doesn't provide redundancy.
Linear	Individual disk. This mode doesn't provide redundancy.



Muse X-Duo RAID System Management Software



Muse X-Duo RAID software is a professional management program, it has a friendly setup interface with option list design. Without complicated installation process, and is very convenience for user to manage NAS system.



Download Station

For Easily download BT format files



Cooling System



Muse X-Duo RAID software is a professional management program, it has a friendly setup interface with option list design. Without complicated installation process, and is very convenience for user to manage NAS system.



Appearance



(a) Silver color body.

(b) Front panel.

(c) Black plastic panel.

(d) One Touch Backup button.

(e) Card reader. (SD/MMC/MS)

(f) USB port.

(g) Power switch.

(h) Power port.

(i) RJ45 port.

(j) USB2.0 port.

(k) 6010mmFan.

(l) Metal foot stand.



I/O Port Description



(A) Power LED

(B) LAN LED

(C) RAID LED

(D) HDD1 LED

(E) HDD2 LED

(F) OTB LED

(G) OTB Button

(H) Card Reader

(I) USB Port

(L) Power Switch

(M) DC IN

(M) Reset Button

(O) RJ-45

(P) YSB Port*2

(Q) Fan

Specifications

Specifications:

P/N	N0015LUU
Case Type	3.5" SATA HDD
Weight	425g
Dimension	215x134x30mm
Material	Aluminum & Plastic
Interface	SATA to eSATA , SATA to USB2.0
SATA compatibility	SATAII、SATAI
Transfer rate	Up to eSATA-3Gbps & USB2.0-480Mbps
Power Source	1) External Universal Switching Power Adapter (12 V 2.0A/5V 2.0A) 2) UL, FCC, CE, CSA Certified
Accessories	eSATA external Cable USB2.0 Cable SATA to eSATA PCI bracket Power Adapter Foot Stand

Additional Information

Brand	Thermaltake
SKU	N0015LUU-D
Weight	6.0000
Color	Black/Silver
Device Type	External SSD/HDD Enclosure
Bay Size	Dual 3.5"/2.5" Bay

