




# Terminal Crimped KK Wire - Female to Female ( 24" )

\$0.99

## Product Images



## Short Description

This cable is pre-crimped with 0.1" (2.54 mm) female terminals at both ends. Cable is available in 6", 12" and 24" lengths. Ideal for creating your own header to header cable to suit your application using our KK connectors.

## Description

This cable is pre-crimped with 0.1" (2.54 mm) female terminals at both ends. Cable is available in 6", 12" and 24" lengths. Ideal for creating your own header to header cable to suit your application using our KK connectors.

To add connectors or have us assemble your cable and sleeve it, please choose from the options below.


Please note that sleeving the cable will be in the manner of one sleeve over all the wires and not sleeve over individual wires. This is done to minimize the bulk of the cable and keep it tight, neat and compact

## Features

---

### MAKE YOUR OWN - HEADER CABLE

---



The diagram above illustrates how you can create your own 1x4 to 1x4 pin-out cable with 4 pcs of C212 and 2 pcs of 1x4 terminal housings. The terminal housings can be purchased separately at our webstore.

Basically, with some creativity, you can design and make your own, almost any kind of pin-out cable to suit your needs. With C212, connection between 2 headers becomes so easy.

## Specifications

---

- Terminal Crimped Wire - F to F
- Product Lengths:
  - 6 inches length
  - 12 inches length
  - 24 inches length
- Terminal: 0.1 inch (2.54 mm) pitch terminal - female

## Additional Information

---

|                |  |
|----------------|--|
| Brand          | PPCS                                       |
| SKU            | CRIMP-WIRE24-KK-FF                         |
| Weight         | 0.1000                                     |
| Color          | Black                                      |
| Cable Type     | KK Wires (Int, USB and Motherboard Cables) |
| Length         | 24"  |
| Vendor SKU/EAN | C212-C213                                  |

