



# Lian Li CR-36A Aluminum USB 2.0 Card Reader 50 in 1+ USB Port - Silver

\$34.95

## Product Images



## Short Description

The Lian Li CR-36 Card Reader is designed for internal or external use to match the user's demands. The card reader works with high speed data transfer rates up to 400 MB/sec using a USB 2.0 port. For internal use the reader can be mounted in a 3.5" drive bay. The power is supplied via the USB port or internally over a 5V DC power connector. Install the CR-35 into your computer's 3.5" drive bay and enjoy a fast, easy way to transfer data from your computer to 50+ different types of memory cards. The casing of this card reader is made out of brushed aluminum and matches all Lian Li cases.

## Description

The Lian Li CR-36 Card Reader is designed for internal or external use to match the user's demands. The card reader works with

high speed data transfer rates up to 400 MB/sec using a USB 2.0 port. For internal use the reader can be mounted in a 3.5" drive bay . The power is supplied via the USB port or internally over a 5V DC power connector. Install the CR-35 into your computer' s 3.5" drive bay and enjoy a fast, easy way to transfer data from your computer to 50+ different types of memory cards. The casing of this card reader is made out of brushed aluminum and matches all Lian Li cases.

## Features

---

- Color Options: Silver or Black
- Connects via internal USB 1.1 or 2.0 cable
- High speed up to 480Mbit/sec
- Windows and Mac OS compatible
- Emission/Safety: FCC Class B, CE
- Power supply: DC 5V From USB port
- Connects to motherboard USB pin headers OR to the external USB Type A port.

## Specifications

---

Model: CR-36A/B

Cards Type: Four Sockets Supports:

CF Slot: CF I, CF II, IBM Micro drive, Magic Store

SM Slot: SM, XD, XD-H, XD-M, Micro-SD

MS Slot: MS, MS Duo, MS PRO, MS PRO Duo, MS PRO HS, MS PRO Duo HS, MMC Micro..

SD Slot: SD, SD1.1, SD2.0, SDHC, Mini SD, MMC, RS-MMC, MMC Plus, RS-MMC4.0.

Features: Two Active LED indicators of power and busy(read/write) equipped.

Support USB2.0 Hi-Speed (480Mbps) / USB1.1 Full-Speed(12Mbps)

USB powered, no extra power supply required

Card Data transfer rate: 700~4000Kb/s Max

Support Card to Card read / write operation

Extra one USB Port on the front bezel

Requirement: OS: Windows 98/ME/2000/XP  
Windows Vista  
Mac OS 9

Dimension: 102x 25 x 60 mm(W, H, D)

Color: Available in Silver (CR-36A)and Black (CR-36B)

## Additional Information

---

Brand	Lian-Li
SKU	CR-36A
Weight	1.0000
Color	Silver
Device Type	Card Reader
Bay Size	3.5" Bay

