



# AcoustiPack EXTRA - Foam Blocks Soundproofing Material - Single Block

\$14.95 As low as  
\$9.95

## Product Images



## Short Description

---

The AcoustiPack™ 5.25" Foam Block can be used inside any vacant optical drive bay to help increase the absorption of unwanted sound energy. Once installed, the foam block also helps to reduce the internal air volume inside your PC or server case, which in turn may improve airflow velocity and cooling performance.

## Description

---

The AcoustiPack™ 5.25" Foam Block can be used inside any vacant optical drive bay to help increase the absorption of unwanted sound energy. Once installed, the foam block also helps to reduce the internal air volume inside your PC or server case, which in turn may improve airflow velocity and cooling performance.

The blocks are made from professional-grade dense acoustic foam, which is certified to UL94-HF1 fire rating. The foam is especially effective at absorbing sound at higher frequencies, such as HDD whine or high-pitched noise from oscillating motherboard components. The foam is black and flexible enough to perfectly friction-fit into any empty 5¼" drive bay.

## Features

---

This pack is suitable for:

Suitable for any PC with a free 3½" drive bay, and/or a free 5¼" drive bay.

NOTE: The blocks must not be used directly against warm components - always allow adequate circulation around adjacent components such as HDDs.

NOTE: The blocks must not be used directly against warm components - always allow adequate circulation around adjacent components such as HDDs.

For more technical and installation information please visit the [Acousti Products US](#) website.

## Specifications

---

### What's In the Box?

3.5 inch Drive Bay Block (for HDD or FDD Bay)	1
5.25 inch Drive Bay Block (for Optical Drive Bays such as DVD, CD-ROM)	2
TOTAL Number of Sheets:	1
Product User Instructions:	Included

Block Dimensions

3.5" Block Dimensions: (WxDxH)140 x 103 x 26mm

5.25" Block Dimensions: (WxDxH)180 x 147 x 41mm

Other Details

Flammability Certificate:UL94-HF1 (UL Listed Material)

RoHS CertifiedYES

Additional Information

SKU	APEXTB1
Weight	2.3000
Color	Black

