



# Scythe "Kama-Panel 2" Multi Functional Controller device on 5.25" Bay - Silver

\$37.95

## Product Images





## Short Description

### Product Details:

Stylish 5.25" Multi-Function Controller and Media card reader, USB/Firewire slot in one panel. To control up to 6 fans and to install slim combo drive.

Features:

- The optimum to the slim case and the micro case whose 5 inch bays are few!  
Application of the slim optical drive which is left over possibility!  
The multi-function group which size original system is proud that way  
Loading the slot for slim optical drive.  
In shipment state fan controller module of channel 4 installation being completed.  
According to need, fan controller is removed, slim optical drive  
Replacement is possible.  
\* Because slim optical drive does not belong, other way please ask.
- Connector ⇒ IDE40 pin conversion connector basis attachment for slim drive!
- 2+4 channel fan controller built-in.
- S-ATA data, S-ATA power source connector each 1 loading!
- USB2.0 corresponding lighter/writer furthermore evolution!  
(1) it corresponds to the direct insertion of the microSD card!  
(2) it corresponds to the SDHC media!  
\* You succeed also the direct insertion of miniSD and memory stick Duo!  
\* Because the smart media becomes non correspondence, note.
- USB2.0 connector and cable for card leader,  
Concerning the cable for IEEE1394, in the external connector cable of conventional type  
In addition it attaches also the cable for internal connection anew!  
Because of this USB/IEEE1394 header pin connection of the motherboard becomes possible,  
Smarter wiring is actualized.  
\* Concerning the cable for audio until recently model similar  
It draws around to the rear connector of [do], it becomes "external connection" type,  
It increases.  
\* With the motherboard presence and the [so] of the USB2.0/IEEE1394 header pin  
Because quantity differs, note.
- Environmental consideration type product of RoHS correspondence.

Specifications:

- Size: Width 148× depth 90× high 42mm
- Fan Control  
The fan control up to maximum of 6 is possible  
(2+4 channel, in substance channel 2, in slot for slim drive  
As an installation and removal type module channel 4 loading)
- Card leader  
Windows 2000/XP/Vista correspondence  
\* Verifying operation even with Win, Me it increases, but you make outside operation guarantee as OS
- Corresponding media  
SD/SDHC card /MMC card /miniSD card/

Direct insertion yes	microSD card /CF media/micro drive/ The memory stick (PRO/Duo/PRO Duo it includes)/ xD card
Corresponding media (Main point adapter)	RS-MMC (⇒MMC card)/ MMC micro (⇒MMC card)/ Memory stick micro (⇒ memory stick Or memory stick Duo)
Non corresponding media	Smart media

- Connector  
S-ATA data and power source ̂ each 1, USB2.0×2,  
Line in, microphone in and audio out each 1  
IEEE1394×1
- Slot  
Slot ×1 for slim optical drive  
(Channel 4 fan controller modules and exclusion utilization)

Includes:

The accessory (the big picture sees with picture click and the [re] increases.)



スリム光学ドライブ→IDE40pin変換コネクタ  
IDE40pin Cable Slim Optical Drive



スリム光学ドライブ  
固定用専用ネジ  
Screw for Mounting  
Slim Optical Drive



オーディオケーブル(外部接続用)  
Audio Cable(External Connector)



S-ATA電源ケーブル  
S-ATA Power Cable



IEEE1394ケーブル(内部/外部接続用各1本)  
IEEE1394 Cable(Internal / External Connector 1pc each)



S-ATAデータケーブル  
S-ATA Data Cable



ファン接続用3ピンケーブル(6本)  
3-Pin Fan Connector Cable(6pcs)



カードリーダー用USB接続ケーブル(内部/外部接続用各1本)  
USB Cable for Card Reader(Internal / External Connector 1pc each)



USB2.0ケーブル(内部/外部接続用各1本)  
USB2.0 Cable(Internal / External Connector 1pc each)



#### Downloads:

- [Handling instruction manual](#)
- [Slim drive installation manual](#)

## Description

---

Stylish 5.25" Multi-Function Controller and Media card reader, USB/Firewire slot in one panel. To control up to 6 fans and to install slim combo drive.

# Features

---

## Features:

- The optimum to the slim case and the micro case whose 5 inch bays are few!  
Application of the slim optical drive which is left over possibility!  
The multi-function group which size original system is proud that way  
Loading the slot for slim optical drive.  
In shipment state fan controller module of channel 4 installation being completed.  
According to need, fan controller is removed, slim optical drive  
Replacement is possible.  
\* Because slim optical drive does not belong, other way please ask.
- Connector ⇒IDE40 pin conversion connector basis attachment for slim drive!
- 2+4 channel fan controller built-in.
- S-ATA data, S-ATA power source connector each 1 loading!
- USB2.0 corresponding lighter/writer furthermore evolution!  
(1) it corresponds to the direct insertion of the microSD card!  
(2) it corresponds to the SDHC media!  
\* You succeed also the direct insertion of miniSD and memory stick Duo!  
\* Because the smart media becomes non correspondence, note.
- USB2.0 connector and cable for card leader,  
Concerning the cable for IEEE1394, in the external connector cable of conventional type  
In addition it attaches also the cable for internal connection anew!  
Because of this USB/IEEE1394 header pin connection of the motherboard becomes possible,  
Smarter wiring is actualized.  
\* Concerning the cable for audio until recently model similar  
It draws around to the rear connector of [do], it becomes “external connection” type,  
It increases.  
\* With the motherboard presence and the [so] of the USB2.0/IEEE1394 header pin  
Because quantity differs, note.
- Environmental consideration type product of RoHS correspondence.

# Specifications

---

- Size: Width 148× depth 90× high 42mm
- Fan Control  
The fan control up to maximum of 6 is possible  
(2+4 channel, in substance channel 2, in slot for slim drive  
As an installation and removal type module channel 4 loading)
- Card leader  
Windows 2000/XP/Vista correspondence  
\* Verifying operation even with Win, Me it increases, but you make outside operation guarantee as OS
- Corresponding media
- SD/SDHC card /MMC card /miniSD card/

Direct insertion yes	microSD card /CF media/micro drive/ The memory stick (PRO/Duo/PRO Duo it includes)/ xD card
----------------------	---

Corresponding media (Main point adapter)	RS-MMC (⇒MMC card)/ MMC micro (⇒MMC card)/ Memory stick micro (⇒ memory stick Or memory stick Duo)
Non corresponding media	Smart media

- 
- Connector  
S-ATA data and power source 各1, USB2.0×2,  
Line in, microphone in and audio out each 1  
IEEE1394×1
- Slot  
Slot ×1 for slim optical drive  
(Channel 4 fan controller modules and exclusion utilization)

Includes:

The accessory (the big picture sees with picture click and the [re] increases.)



スリム光学ドライブ→IDE40pin変換コネクタ  
IDE40pin Cable Slim Optical Drive



スリム光学ドライブ  
固定用専用ネジ  
Screw for Mounting  
Slim Optical Drive



オーディオケーブル(外部接続用)  
Audio Cable(External Connector)



S-ATA電源ケーブル  
S-ATA Power Cable



IEEE1394ケーブル(内部/外部接続用各1本)  
IEEE1394 Cable(Internal / External Connector 1pc each)



S-ATAデータケーブル  
S-ATA Data Cable



ファン接続用3ピンケーブル(6本)  
3-Pin Fan Connector Cable(6pcs)



カードリーダー用USB接続ケーブル(内部/外部接続用各1本)  
USB Cable for Card Reader(Internal / External Connector 1pc each)



USB2.0ケーブル(内部/外部接続用各1本)  
USB2.0 Cable(Internal / External Connector 1pc each)



#### Downloads:

- [Handling instruction manual](#)
- [Slim drive installation manual](#)

## Additional Information

Brand	Scythe
SKU	SCKMPN-2000-SL-D
Weight	2.0000
Color	Silver
Device Type	Multi-purpose
Bay Size	5.25" Bay

