

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com











Koolance Nozzle Single, Panel Mount [For ID: 13mm (1/2"), OD: 16mm (5/8")]

\$7.99 was \$9.99

Product Images



Short Description

Single 1/2" (13mm) ID panel mounted nozzle. Compression fitting on one side, and hose barb on the other. Nickel-plated brass with gasket. Hose clamp and hex nut are included.

Description

Single 1/2" (13mm) ID panel mounted nozzle. Compression fitting on one side, and hose barb on the other. Nickel-plated brass with gasket. Hose clamp and hex nut are included.

Intended Tubing Size OD: 16mm (5/8") ID: 13mm (1/2") Wall: 1.5mm (1/16")

Features

NOTE: Liquid Coolants Koolance's product warranty does not cover the use of 3rd-party coolants, coolant additives, or corrosion. Koolance LIQ-702 or LIQ-705 coolants are strongly recommended to help avoid issues with mixed metals or biological growth. Additionally, do not use aluminum with bare (unplated) copper or bare (unplated) brass in the same system. Do not use silver with nickel in the same system.

Additional Information

Coolance
NZL-V13KGB1-P-D
0.1000
No
Compression
/2" x 5/8"
itraight
7.99

2

