



GELID Solutions Silent 12 TC (Temp Control) - 120mm Hydro Dynamic Bearing Fan

Special Price

\$11.99 was

\$12.99

Product Images



Short Description

Designed for discerning Silent enthusiasts GELID Silent TC fans provide additional airflow by changing the fan speed according to your actual temperature needs, giving you no more noise than absolutely necessary and maximum cooling when needed. An intelligent IC embedded in the fan's PCB allows smart variable fan speeds. Each fan impeller has been individually balanced using the latest technology to guarantee stable operation. To add to the silence fan mounts replace traditional screws and are made of high quality, temperature resistant, extra long lasting rubber and stop vibrations from the fan motor from traveling into your PC case.

Description

Silent 12 TC

120mm Case Fan with Superior Temperature Control

Designed for discerning Silent enthusiasts GELID Silent TC fans provide additional airflow by changing the fan speed according to your actual temperature needs, giving you no more noise than absolutely necessary and maximum cooling when needed. An intelligent IC embedded in the fan's PCB allows smart variable fan speeds. Each fan impeller has been individually balanced using


the latest technology to guarantee stable operation. To add to the silence fan mounts replace traditional screws and are made of high quality, temperature resistant, extra long lasting rubber and stop vibrations from the fan motor from traveling into your PC case.

The Superior GELID TC Curve



Caption: Compared to other manufacturers GELID TC fans have a far wider controllable speed range.

External Sensor



Caption: This external sensor can be positioned in your desired location. i.e. in front or rear of the case.

AWARDS HERE

Fan cable is fully covered in nylon Techflex sleeving and Premium Heatshrink, colors of your choice.

Features

0

Specifications

*INCLUDED:	4 Rubber Fan Mounts
Air Flow (CFM):	58
Bearing:	Hydro Dynamic Bearing
Cable Length (mm):	500
Connector:	3 Pin Molex
Current (A):	0.18
Dimension (mm):	120 x 120 x 25
Fan Speed (RPM):	750 (22C) - 1500 (42C)
Noise Level (dBA):	12-25.5
Safety Approvals:	CE, RoHS Compliant
Sensor Cable Length (mm)	300
Static Pressure (mmAq):	1.6
Voltage (V):	12

Warranty (years):	5
Weight (g):	120

Additional Information

Brand	Gelid Solutions
SKU	21225-82
Weight	0.8000
Color	Black
Fan Dimensions	120mm
Fan Width	25mm
Fan Connection	3 Pin Molex
Fan Voltage	12 VDC
Fan RPM	1500
Fan CFM	58
Fan Noise (dB)	26
Special Price	\$11.99

