



Koolance Radiator, HX-1020 Triple Aluminum Vert. [no nozzles]

Special Price
\$48.76 was
\$60.95

Product Images



Short Description

The HX-1020 provides an approximate 1000W of added heat dissipation when coupled with three 120mm fans. Vertical (perpendicular) G 1/4" threaded nozzle sockets. Four 0.28" (7mm) long and twelve 1.4" (35mm) long mounting screws are included. Dual pass, 15mm (0.59") fan hole spacing.

Description

The HX-1020 provides an approximate 1000W of added heat dissipation when coupled with three 120mm fans. Vertical (perpendicular) G 1/4" threaded nozzle sockets. Four 0.28" (7mm) long and twelve 1.4" (35mm) long mounting screws are included. Dual pass, 15mm (0.59") fan hole spacing.

Specifications

Model	HX-1020
Materials	Aluminum, Steel Shroud
Tubing Size, ID	1/2" (13mm), 3/8" (10mm), or 1/4" (6mm)
Product Dimensions WxHxD	5.6" x 16.7" x 1.3" (14.1cm x 42.4cm x 3.3cm)
Product Weight	2.75 pounds (1.25kg)

Additional Information

Brand	Koolance
SKU	HX-1020-D
Weight	3.0000
Color	Black
Radiator Size	360 (3 x 120mm)
Radiator Thickness	33mm
Special Price	\$48.76

