

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com












# Enermax Apollish Twister Bearing 80mm LED Fan -Blue - Sleeved

**Special Price** \$13.46 was \$17.95

## **Product Images**









### **Short Description**

Enermax stunned the world with the release of its patented "Twister" bearing technology featured inside the critically acclaimed

Everest, Cluster, and Magma fans. Now we strive to bring more innovation to the PC fan by introducing the brand new "Apollish" Twister bearing LED fan! The Apollish is something the computing world has never seen or imagined, featuring a patented circular type LED design that is up to FOUR times brighter than any conventional LED fan on the market today.

#### Description

Enermax stunned the world with the release of its patented "Twister" bearing technology featured inside the critically acclaimed Everest, Cluster, and Magma fans. Now we strive to bring more innovation to the PC fan by introducing the brand new "Apollish" Twister bearing LED fan! The Apollish is something the computing world has never seen or imagined, featuring a patented circular type LED design that is up to FOUR times brighter than any conventional LED fan on the market today.

#### **Features**

- Patented circular type LED up to 4 times brighter
- Shining sputtering finish with glossy mirror-like coating
- Twister bearing technology with long lifetime and low noise
- Detachable fan blade
- Optimized thermal control setting @ 25C~55C
- LED on/off function
- Isolator-mounts for shockproof and guick installation



4/25/24

## Specifications

Model UCAP8-BL (blue), UCAP8-G (green), UCA8P-R (red)

Speed (RPM) 600 - 2100

Bearing type Twister Bearing

Voltage 12V

Input Power 3.6W

Flow (MAX)(CFM) 12.48 to 33.04

Pressure (MAX)(mm-

H20)

0.673 to 1.886

Noise dB(A) 15

Frame Finish Sputtering coating

LED type Circular

Lifetime (hours) 100,000

Dimensions (DxWxH) 80x80x25mm

## Additional Information

nermax
ICAP8-BL-D
.4000
lue
0mm
5mm
2 VDC
100
3
5
lue
713157730077
13.46



4