



# Koolance QDC (High Flow) No-Spill Shutoff, Male [For ID: 13mm, 1/2"]

Special Price  
**\$9.59** was  
~~\$11.99~~

## Product Images



## Short Description

Koolance (patent-pending) quick-disconnect no-spill shutoff valve. 13mm (1/2") ID male straight connection with compression fitting. It will fit any Koolance VL3N female shutoff valve.

## Description

---

Koolance (patent-pending) quick-disconnect no-spill shutoff valve. 13mm (1/2") ID male straight connection with compression fitting. It will fit any Koolance VL3N female shutoff valve.

After a quarter twist, the quick-disconnect nozzles will separate. Liquid on both sides will be automatically obstructed with only 0.2mL freed. Nozzles are nickel-plated brass, silicone o-rings.

OD: 16mm (5/8")

ID: 13mm (1/2")

Wall: 1.5mm (1/16")

**Please note: The "VL2N" and "VL3N" are no-spill versions of current shut-off QDC nozzles. Be sure not to mix series (VL2, VL3, VL4, VL2N, VL3N) when connecting, as all are physically different from one another.**

\*NOTE: Liquid Coolants Koolance's product warranty does not cover the use of 3rd-party coolants, coolant additives, or corrosion. Koolance LIQ-702 or LIQ-705 coolants are strongly recommended to help avoid issues with mixed metals or biological growth. Additionally, do not use aluminum with bare (unplated) copper or bare (unplated) brass in the same system. Do not use silver with nickel in the same system.\*

## Features

---

\*NOTE: Liquid Coolants Koolance's product warranty does not cover the use of 3rd-party coolants, coolant additives, or corrosion. Koolance LIQ-702 or LIQ-705 coolants are strongly recommended to help avoid issues with mixed metals or biological growth. Additionally, do not use aluminum with bare (unplated) copper or bare (unplated) brass in the same system. Do not use silver with nickel in the same system.\*

## Additional Information

---

Brand	Koolance
SKU	VL3N-M13S-D
Weight	0.2000
Fitting Type	Disconnect
Fitting Size	1/2"
Fitting Angle	Straight
Special Price	\$9.59

