



# Gold Connector Shielded HDMI Male/Male High Definition Digital Cable - 10 Foot OK10HDMI

\$11.99

## Product Images



## Short Description

Performance-PCs.com 10-Foot HDMI High Definition Digital Cable  
Enjoy a pure digital connection between digital audio/video sources and a/v receivers, projection TV and displays. Certified to perform at standards set by HDMI.

## Description

### Product Details:

Performance-PCs.com 10-Foot HDMI High Definition Digital Cable  
Enjoy a pure digital connection between digital audio/video sources and a/v receivers, projection TV and displays. Certified to perform at standards set by HDMI. our HDMI Certified digital HDTV PPCS Series interconnects will provide a pure digital high-

definition video, audio, and system control connection! Using HDMI-enabled components allows you to enjoy the purity of the original signal with no picture or sound degradation! Fully tested and absolutely guaranteed. Don't compromise your high-definition television signal; use the right interconnects! PPCS HDMI cables are the right choice when value and performance are the order of the day!

## Features

---

Features:

- Connectors: HDMI male to HDMI male
- Pure digital video, digital audio, and intercomponent control signals all in one compact, high-performance connection!
- Fully shielded to provide complete immunity to environmental EMI and RFI 24-karat gold-plated connectors ensure superior signal transfer and a lifetime of maximum performance
- An ideal choice for high performance audio/video installations.





## Specifications

---

Specifications:

- Cable Type: HDMI
- Cable Length (Feet): 10.0 ft
- Cable Connector A: HDMI Male
- Cable Connector B: HDMI Male
- Connector Material: Gold Plated
- Shielded: Yes
- Cable Color: Black
- Weight: 1.08 lbs

Connector Types:

Connector A	  HDMI Male
Connector B	  HDMI Male

## Additional Information

---

Brand	OKGear
SKU	OK10HDMI
Weight	1.0000
Color	Black
Cable Type	HDMI
Length	10ft

