



Coolink SWiF2-801 Fan 1500RPM 11dBA 39.7ml/h Hydro-Dynamic Bearing (80x80x25mm)

\$10.95

Product Images



Short Description

Based on the award-winning original SWiF design, the new SWiF2 series of high-performance quiet fans takes its successful predecessor's proven qualities one step further by adding hydro-dynamic bearing as well as an unique, exciting color scheme.

Description

Based on the award-winning original SWiF design, the new SWiF2 series of high-performance quiet fans takes its successful predecessor's proven qualities one step further by adding hydro-dynamic bearing as well as an unique, exciting color scheme. The new hydro-dynamic bearing ensures whisper quiet operation and even better longevity, which is reflected in an enhanced warranty time of 60 months. Now also available with support for PWM fan speed control, the SWiF2 series provides excellent silent-performance and includes a full range of trusted Coolink quality fans, suitable for all applications inside your system.

Features

- High-performance hydro-dynamic bearing
- Protective cable sleeving
- Inkl. Anti-Vibration Bolts & Screws
- Trusted Coolink quality

Specifications

SWiF2 Fan	801
Size (mm)	80x80x25
Rotation Speed (RPM +/-10%)	1500
Airflow (m ³ /h)	39.7
Acoustical Noise (dB/A)	11
Input Power (W)	0.84
Input Current (A)	0.07
Voltage Range (V)	7-13
PWM	No
Pcs/Colli (Pcs)	120
Weight/Colli (kg)	13.1
MSRP/Pc (EUR)	9.9

Additional Information

SKU	SWiF2-801
Weight	0.6000
Fan Dimensions	80mm
Fan Width	25mm
Fan Connection	3-Pin
Fan Voltage	12 VDC
Fan RPM	1500
Fan Noise (dB)	11
Vendor SKU/EAN	4716123313335

