

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com






Follow Us Twitter









\$109.95

### **Product Images**



# **Short Description**

The copper core HX-CU-1403V is designed for three 140mm fans. With a high fin density of 30 FPI (fins per inch), it offers best performance at higher air flow. Vertical (perpendicular) G 1/4 BSP threaded nozzle sockets, dual pass, 30mm (1.18") long mounting screws included.

# Description

The copper core HX-CU-1403V is designed for three 140mm fans. With a high fin density of 30 FPI (fins per inch), it offers best performance at higher air flow. Vertical (perpendicular) G 1/4 BSP threaded nozzle sockets, dual pass, 30mm (1.18") long mounting screws included.

# **Specifications**

ModelHX-CU1403VMaterialsCopper Fins, Brass PipesTubing Size, ID(Any)Product Dimensions<br/>WxHxD5.5" x 18.1" x 1.2" (14cm x 46cm x 3.1cm)Product Weight2.3 pounds (1kg)

#### Additional Information

Brand	Koolance
SKU	HX-CU1403V
Weight	3.0000
Color	Black
Radiator Size	420 (3 X 140mm)
Radiator Thickness	31mm

4/19/24

