



Serial ATA 3.0 600Mb/s Cable w/ Metal Latch - Straight to Right Angle - 24" - Black

\$3.99

Product Images



Short Description

Product Details:

Designed for the fastest SATA 3.0 hard drives in the market this is an excellent cable product that can be used for any SATA driven system.

Constructed to meet signal integrity which is insured for all data transfers up to 6Gb per second. This silver braided SATA 3.0 cable is perfect to blend into any system and includes the locking mechanism required of the SATA 3.0 specification! Backwards compatible with SATA I (1.5 Gb/s) and SATA II (3 Gb/s).

Features:

- Durable flexible rubber sleeving can be bent and twisted.
- Latching connector designed to securely mate internal device and host side.
- Silver meshing for better EMI shielding.
- The ability to connect and disconnect devices without prior notification.
- Better for internal and external use.

Specifications:

- 6Gbps Max rating
- 24" length
- Secure Metal Latching
- 180 degree to 90 degree (Straight to Right Angle) connectors

Description

Product Details:

Designed for the fastest SATA 3.0 hard drives in the market this is an excellent cable product that can be used for any SATA driven system. Constructed to meet signal integrity which is insured for all data transfers up to 6Gb per second. This silver braided SATA 3.0 cable is perfect to blend into any system and includes the locking mechanism required of the SATA 3.0 specification! Backwards compatible with SATA I (1.5 Gb/s) and SATA II (3 Gb/s).

Features:

- Durable flexible rubber sleeving can be bent and twisted.
- Latching connector designed to securely mate internal device and host side.
- Silver meshing for better EMI shielding.
- The ability to connect and disconnect devices without prior notification.
- Better for internal and external use.

Specifications:

- 6Gbps Max rating
- 24" length
- Secure Metal Latching
- 180 degree to 90 degree (Straight to Right Angle) connectors

Additional Information

Brand	OKGear
SKU	GC24AKM12
Weight	0.2000
Cable Type	SATA Data Internal

