



 DYNATRON

Dynatron Q2 1U Active Heatsink with Blower for Intel Sockets 1567 Processors - Retail

Special Price
\$22.46 was
\$29.95

Product Images



Short Description

New Dynatron active heatsink for Intel® Nehalem-EX Xeon® Processor 7500 Series, socket 1567.

Description

Product Details:

New Dynatron active heatsink for Intel® Nehalem-EX Xeon® Processor 7500 Series, socket 1567. 70 x 70 x 15 mm Aluminum PWM blower with copper heatsink for 1U Server Solution

Features

Features:



Specifications

Specifications:

CPU Socket 1567



CPU Support Intel® Nehalem-EX Xeon® Processor 7500 Series up to 95 Watts



Solution 1U Server



Overall Dimension 90.0 x 90.0 x 28.0 mm



Weight 416g ± 5g



Material Copper Heatsink



Fan Dimension 70 x 70 x 15 mm



Speed At Duty Cycle 0~20%: 1100 RPM
At Duty Cycle 50%: 2600 RPM
At Duty Cycle 100%: 6000 RPM



Bearing 2 Ball Bearing



Rated Voltage 12



Power At Duty Cycle 0~20%: 0.6 W
At Duty Cycle 50%: 1.2 W
At Duty Cycle 100%: 8.76 W



Air Flow At Duty Cycle 0~20%: 2.45 CFM
At Duty Cycle 50%: 5.80 CFM
At Duty Cycle 100%: 14.32 CFM



Noise Level At Duty Cycle 0~20%: 19.1 dBA
At Duty Cycle 50%: 34.2 dBA
At Duty Cycle 100%: 53.8 dBA



Air Pressure -



Lead Wire Pin Out Pin1-Black (-)
Pin2-Yellow (+)
Pin3-Green (Techometer/Signal output)
Pin4-Blue (PWM)



Thermal Resistance & Noise Level VS. Cooling Fan Speed



Note 1. Thermal Grease Pre-Printed with GE-Toshiba TIG830SP
2. RoHS Compliance
3. Backplate is not included.

Additional Information

| | |
|----------------|-----------------|
| Brand | Dynatron |
| SKU | Q2-D |
| Weight | 1.0000 |
| Color | Black |
| Compatibilty | Intel LGA 1567 |
| Material | Copper/Aluminum |
| Fan Dimensions | 70mm |
| Fan RPM | 600 |
| Fan CFM | 14 |
| Special Price | \$22.46 |

