





Thermaltake Thunderblade Rev 2 80mm Low Noise Red LED Case Fan - Sleeved

Special Price
\$6.50 was
\$7.99

Product Images








Short Description

Product Details:

Thermaltake AF0027 Thunderblade Clear LED Basic Fan

Add another heat dissipating fan into your cooling arsenal, with the Thermaltake AF0027 Thunderblade Clear LED Basic Fan! This red LED fan adds flare and a much needed cooling boost to keep your peripherals functioning properly. Not to mention, the Thermaltake AF0027 Thunderblade Clear LED Basic Fan is quiet, efficient, and easy to install. Don't brood over it, grab the Thermaltake AF0027 Thunderblade Clear LED Basic Fan and bolster your cooling system!

Features:

-  Different color options
-  4 LED 80x80x25 Fan
-  2000RPM -Low speed fan at minimal noise level.



Specifications:

Fan Dimension	80 x 80 x 25 mm
---------------	-----------------

Fan Speed	2,000 ± 10% RPM
Fan Speed Control	----
LED Color	Red LED Fan
Bearing Type	Sleeve
Noise Level	21.0 dBA
Max. Air Flow	27.5 CFM
Max. Air Pressure	0.98 mmH ₂ O
Power Connector	3-Pins Connector (3 to 4 Pins Adapter Included)
Rated Voltage	12 V
Start Voltage	≤ 9V
Rated Current	0.18 A
Static Pressure	----
Operation Temperature	----
Power Input	1.2 W

MTBF 30,000 Hours @ 25°C

Weight 63 g

Fan cables are fully sleeved in nylon Techflex Sleeving and Premium Heatshrink, colors of your choice

Description

Thermaltake AF0027 Thunderblade Clear LED Basic Fan

Add another heat dissipating fan into your cooling arsenal, with the Thermaltake AF0027 Thunderblade Clear LED Basic Fan! This red LED fan adds flare and a much needed cooling boost to keep your peripherals functioning properly. Not to mention, the Thermaltake AF0027 Thunderblade Clear LED Basic Fan is quiet, efficient, and easy to install. Don't brood over it, grab the Thermaltake AF0027 Thunderblade Clear LED Basic Fan and bolster your cooling system!

Fan cables are fully sleeved in nylon Techflex Sleeving and Premium Heatshrink, colors of your choice

Features

0

Specifications

Fan Dimension 80 x 80 x 25 mm

Fan Speed 2,000 ± 10% RPM

Fan Speed Control ----

LED Color Red LED Fan

Bearing Type	Sleeve
Noise Level	21.0 dBA
Max. Air Flow	27.5 CFM
Max. Air Pressure	0.98 mmH ₂ O
Power Connector	3-Pins Connector (3 to 4 Pins Adapter Included)
Rated Voltage	12 V
Start Voltage	≅ 9V
Rated Current	0.18 A
Static Pressure	----
Operation Temperature	----
Power Input	1.2 W
MTBF	30,000 Hours @ 25°C
Weight	63 g

Additional Information

Brand	Thermaltake
SKU	AF0027-D
Weight	0.2500
Color	Clear
Fan Dimensions	80mm
Fan Width	25mm
Fan Connection	3-Pin
Fan Voltage	12 VDC
Fan RPM	2000
Fan CFM	28
Fan Noise (dB)	21
LED Color	Red
Special Price	\$6.50

