



Phobya Variable SLI/Crossfire VID Connection Nipple G1/4 - 2 Slot

\$9.65

Product Images



Short Description

The Phobya Variable SLI/Crossfire VID Connection Nipple G1/4 connects two that are operated in a system in SLI mode. The special feature of this fitting is that it varied by about 12mm adjustable in length.

Description

The Phobya Variable SLI/Crossfire VID Connection Nipple G1/4 connects two that are operated in a system in SLI mode. The

special feature of this fitting is that it varied by about 12mm adjustable in length.

Therefore, these nipples are used with graphics cards from different manufacturers. The nipple can be used either for the graphics cards to run in series, or if you set two nipple between two graphics cards, so both can be cooler when run in parallel. This is of course also possible with 3 graphics card coolers. SLI is the connection nipple is available in 3 lengths:

Article 64 095 for a slot

Article 64 096 for 2 slot

Article 64 097 for 3 slot mainboard.

Specifications

- A direct connector between two graphics cards.
- Thread: G1 / 4 "
- Material: brass, black nickel
- Distance between the coolers: 39.2 to 50.6 mm
- Suitable for motherboards with two slots distance between the two graphics cards.
- Suitable for VGA crossfire of eg Ek Water Blocks Koolance, DangerDen, XSPC, Alphacool OTC-Flat

The nipple is only compatible with graphics cards, the top and bottom of each of two G1 / 4 inches thread. With the coolers have only connections on one side (eg Aquacomputer) can not be mounted to the nipple.

Additional Information

Brand	Phobyia
SKU	PH-64096
Weight	0.3000
Color	Black Chrome
Vga	Universal
Block GPU Type	Nvidia/AMD
Block Accessory Type	SLI Fitting
Fitting Finish	Black Chrome
Vendor SKU/EAN	4049469060398

