

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA


Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com





Follow Us Twitter



Watch Our YouTube





\$74.95

Product Images



Features

PERFECT HEAT TRANSMISSION
Optimal FPI (fins per inch) is designed for low speed fans to guarantee silent operation

GREEN ENERGY

Protect environment by using RoHS compliant components, recycled materials and lead-free production

• EASE OF USE

4 G1/4" threads and UNC 6-32 screw threads allow multiple and flexible installations and configurations

• HIGH FLOW OPTIMIZED

Triple parallel rows minimize water resistance and achieve optimal cooling performance

• THREE YEARS WARRANTY

Based on long-standing professional research, development and production we provide full 3 years warranty on Coolgate heat exchangers

Specifications

Specifications:

- Tubes with 90% copper
- Tubes Triple Row 13mm x2mm
- Material: Copper Fins, Brass Chambers
- 7 FPI (Fins per inch)
- 4 x G 1/4 Threads
- Weight: 1030g
- Liquid Volume: 300 ml
- Pressure Tested: 1.5 Bar
- Dimensions: 291.6 x 124 x 60mm
- 6-32 UNC threads on both sides for push pull with 120mm fans

Delivery:

- 4 pcs 1/4" in- and outlets
- 1/4" filling port on bottom cap
- Color carton and silicon pads
- 3 pcs black brass plugs.
- 2 set UNC6-32 screws each 30mm and 5mm long

4/25/24

Additional Information

| Brand | Coolgate |
|--------------------|-----------------|
| SKU | CG-240 |
| Weight | 3.5000 |
| Color | Black |
| Radiator Size | 240 (2 x 120mm) |
| Radiator Thickness | 60mm |
| Vendor SKU/EAN | 4260242980027 |
| Internet Reviews | 0 |



4/25/24