



Noiseblocker NB-Multiframe M8-P 80mm x 25mm Ultra Silent PWM Fan - 500-2000 RPM

\$16.99

Product Images



Short Description

The Noiseblocker NB-Multiframe M8-S3 80mm x 25mm Ultra Silent Fan is part of the family of Germany's quietest fans. The new Multiframe® technology uses silicone rubber corners to mount the fan, making it as quiet as possible. The NB-NanoSLI® bearing is also vital in providing the fan with its near silent performance and long lifespan that earns it a 6 Year warranty.

Description

The Noiseblocker NB-Multiframe M8-S3 80mm x 25mm Ultra Silent Fan is part of the family of Germany's quietest fans. The new Multiframe® technology uses silicone rubber corners to mount the fan, making it as quiet as possible. The NB-NanoSLI® bearing is also vital in providing the fan with its near silent performance and long lifespan that earns it a 6 Year warranty. Noiseblocker fans are the new standard in the industry of quiet computing!

Note: Fans come sleeved black. Please use the sleeving option below if you want us to change the sleeving to a different color.

Features

NB-Multiframe® Technology

The high tech multipart chassis has integrated vibration absorbers at each corner, making the fan supported directly by rubber. Even the fan's main framework uses anti-vibration glass-fiber reinforcement.

Extremely Low Starting Voltage

TÜV Certified Noise Level

The ultra quiet, fans are practically silent and TÜV confirms the listed decibel rating.

Robust Design

The fan features overload protection, restart function, fail safe design - Noiseblocker is so confident they gave the fan a 6 year warranty.

Extremely Quiet Bearings

The near noiseless and extremely long-lived NB-NanoSLI® bearing is the heart of the fan and will provide you years of service.

Specifications

Dimensions:	80 x 80 x 25 mm
Weight:	75 g
Speed:	500-2000 RPM ±10%
Noise at 1 m:	1-17 db/A
Max. Airflow (max):	31.7 CFM 54 m ³ /h
Bearing:	NB-NanoSLI®
Connector:	4-Pin PWM
Voltage Range:	4.5 - 13.8 V DC
Starting Voltage:	5 V DC
Rated Power:	<2.04 w="" font="">

MTBF at 25°C:	140,000 hrs.
Operating Temp.:	-10°C to +70°C
Storage Temp.:	-30°C to +80°C
Chassis Material:	PBT UL94V-0 GS
Impeller Material:	PC UL94V-2
Vibration Dampening Material:	Silicone Mix
Warranty:	6 Years

Additional Information

Brand	Blacknoise
SKU	NB-M8-P-D
Weight	0.3000
Color	Black
Fan Dimensions	80mm
Fan Width	25mm
Fan Connection	4-Pin PWM
Fan Voltage	12 VDC
Fan RPM	2000
Fan CFM	32
Fan Noise (dB)	17
Vendor SKU/EAN	4250051906356

