

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter









\$4.99

Product Images







Short Description

Product Details:

High-grade and robust compression fitting with cylindrical thread (G1/4"). The hose is fixated with the union nut and is safely sealed, yet it can simply be released by hand. The fitting is angled by 45° and can be revolved freely (360°).

Ideal for systems with high flow and little space as well as Chipset cooling, VGA cooling or DIY projects. This system ensures maximum safety and ease of installation.

Technical specifications:

Material: Nickel plated brass

Connectors: G1/4" connection thread and 13/10mm hose connector (3/8-1/2)

Height: 50mm

Outer diameter union nut: 20mm

Extent of delivery:

1x 13/10mm (10x1,5mm) compression fitting 45° G1/4" - silver nickel

Description

Product Details:

High-grade and robust compression fitting with cylindrical thread (G1/4"). The hose is fixated with the union nut and is safely sealed, yet it can simply be released by hand. The fitting is angled by 45° and can be revolved freely (360°).

Ideal for systems with high flow and little space as well as Chipset cooling, VGA cooling or DIY projects. This system ensures maximum safety and ease of installation.

Technical specifications: Material: Nickel plated brass

Connectors: G1/4" connection thread and 13/10mm hose connector (3/8-1/2)

Height: 50mm

Outer diameter union nut: 20mm

Extent of delivery:

1x 13/10mm (10x1,5mm) compression fitting 45° G1/4" - silver nickel

Additional Information

Brand	Phobya
SKU	PH-62216
Weight	0.1000
Fitting Type	Compression
Fitting Angle	45 Degree
Vendor SKU/EAN	4049469066215

