

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com













\$6.95

Product Images



Short Description

Single hose barb nozzle for 1/4" (6mm) ID tubing. This fitting swivels to relieve hose stress and accidental loosening. To tighten or untighten, simply push in on the fitting and twist. G 1/4 BSP threaded. Nickel-plated brass with gasket and hose clamp included.

Description

Single hose barb nozzle for 1/4" (6mm) ID tubing. This fitting swivels to relieve hose stress and accidental loosening. To tighten or untighten, simply push in on the fitting and twist. G 1/4 BSP threaded. Nickel-plated brass with gasket and hose clamp included.

Intended Tubing Size

OD: 10mm (3/8") ID: 6mm (1/4") Wall: 2mm (5/64")

Features

NOTE: Liquid Coolants Koolance's product warranty does not cover the use of 3rd-party coolants, coolant additives, or corrosion. Koolance LIQ-702 or LIQ-705 coolants are strongly recommended to help avoid issues with mixed metals or biological growth. Additionally, do not use aluminum with bare (unplated) copper or bare (unplated) brass in the same system. Do not use silver with nickel in the same system.

Additional Information

Brand	Koolance
SKU	NZL-V06BS
Weight	0.1000
Special Order	No
Fitting Type	Barb
Fitting Size	1/4"
Fitting Angle	Straight

4/23/24

