

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com





See Our Instagram







Bytecc USB 2.0 to eSATA/SATA Bridge Adapter

\$14.99

Product Images













Short Description

The USB 2.0 to SATA/eSATA Bridge Adapter turns any eSATA/SATA mass storage device to a convenient external USB 2.0 High speed drive. The Hi-Speed USB interface provides for easy installation with its Plug and Play design. It's great test bench device perfect for copying or offloading files from one hard drive to another.

Description

The USB 2.0 to SATA/eSATA Bridge Adapter turns any eSATA/SATA mass storage device to a convenient external USB 2.0 High speed drive. The Hi-Speed USB interface provides for easy installation with its Plug and Play design. It's great test bench device perfect for copying or offloading files from one hard drive to another.

Features

- Compatible with Windows, Linux and Mac
- Supports 2.5"/3.5" SATA HDD, CD/DVD drives also eSATA drive enclosure
- Connect any device with an SATA/eSATA Interface to a PC with USB interface
- Support USB 2.0 Both High speed (480Mps) and Full speed (12Mps)
- Truly Plug & Play and Hot-plug
- USB bus powered (No adapter needed)
- USB host Interface: Compliant with USB 2.0
- Sata device interface: Compliant with SATA 1.0A
- Transfer rate Approx. 480 MBps for USB & 1.5 Gbps for SATA
- Connectors: Standard SATA7-pins, eSATA 7-pins & USB 2.0 type A
- No Driver needed for Windows ME or above, Linux, Mac OS 10 or above
- Product dimension: 73x27x12mm

Specifications

- Compatible with Windows, Linux and Mac
- Supports 2.5"/3.5" SATA HDD, CD/DVD drives also eSATA drive enclosure
- Connect any device with an SATA/eSATA Interface to a PC with USB interface
- Support USB 2.0 Both High speed (480Mps) and Full speed (12Mps)
- Truly Plug & Play and Hot-plug
- USB bus powered (No adapter needed)
- USB host Interface: Compliant with USB 2.0
- Sata device interface: Compliant with SATA 1.0A
- Transfer rate Approx. 480 MBps for USB & 1.5 Gbps for SATA
- Connectors: Standard SATA7-pins, eSATA 7-pins & USB 2.0 type A
- No Driver needed for Windows ME or above, Linux, Mac OS 10 or above
- Product dimension: 73x27x12mm

Package Contents:

- USB 2.0 Male to Female extension cable
- eSATA/ SATA adapter

Additional Information

Brand	Bytecc USA
SKU	PG-102
Weight	0.5000
Color	Black
Connector Type	SATA
Special Price	\$1.50

