




Aquacomputer aquaero 5 XT USB Fan-Controller, Grafik-LCD

\$169.95

Product Images



Short Description

The aquaero is an absolutely autonomous working microprocessor-controlled device with USB 2.0 interface. All speed parameters and sensor values can be set and visualized in a user-friendly menu or through an even easier to use PC-software

Description

The aquaero is an absolutely autonomous working microprocessor-controlled device with USB 2.0 interface. All speed parameters and sensor values can be set and visualized in a user-friendly menu or through an even easier to use PC-software. Additionally,

the graphic LC display can be used to display almost any information using the popular LCD software LCDHype.

***PLEASE NOTE and be aware that all RMA and tech support for this product is ONLY direct through Aquacomputer. We will not warranty through our shop any Aquaero products. Be advised that Aquacomputer is in Germany and so any RMA would have to be sent to them directly. If you do not accept these terms then please do not purchase Aquaero. The reason for this is many customers are overloading the circuitry and burning up the controllers and we will not be responsible for replacing any more of these units through PPCS. ***

Several aqua computer products can be used to expand the functionality of the aquaero 5 Controller. These expansions are dynamically mapped into the menus and display pages of the aquaero, creating a consistent control system rather than individual devices.

In maximum configuration, the following devices can be connected to an aquaero 5 simultaneously:

Two aquastream XT pumps
Six poweradjust 2 controllers
One tubemeter
Two multiswitches

For a more thorough feature description, please click this link: [aquaero_5_eng.pdf](#)

Features

- Programmable four channel fan controller
- Graphic LC display with backlight (except LT)
- USB 2.0 and aquabus interface
- Four fan outputs with current measurement
- Versatile control options
- Eight temperature sensor inputs
- Flow sensor input
- Universal IR receiver (except LT)
- Output for IR transmitter
- Three LED outputs
- Potential-free switch
- Two additional power outputs
- Extensive alarm options
- Acoustical alarm
- Speed signal output for status evaluation
- Expandable to a maximum of 10 fan channels

Specifications

Contents:

- aquaero 5 XT controller
- aquaremote infrared remote control
- four temperature sensors, length approx. 70 cm
- one internal USB cable, length approx. 100 cm
- one connection cable for speed signal or aquabus
- manual

- mounting material for installation into a free extension bay

Additional Information

Brand	Aquacomputer
SKU	AQ-70213-D
Weight	2.0000
Color	Silver
Msc Watercool	Controller

