



 **Koolance Radiator,**
1x120mm 20-FPI Copper
[no nozzles]

Special Price
\$27.99 was
\$34.99

Product Images



Short Description

The copper core HX-CU420VS provides an approximate 400W of added heat dissipation when coupled with one 120mm fan. With a fin density of 20 FPI (fins per inch), it is optimized for low to mid-range air flow. Vertical (perpendicular) G 1/4 BSP threaded nozzle sockets. 30mm (1.18") long mounting screws are included. Dual pass, 15mm (0.59") fan hole spacing.

Description

The copper core HX-CU420VS provides an approximate 400W of added heat dissipation when coupled with one 120mm fan. With a fin density of 20 FPI (fins per inch), it is optimized for low to mid-range air flow. Vertical (perpendicular) G 1/4 BSP threaded nozzle sockets. 30mm (1.18") long mounting screws are included. Dual pass, 15mm (0.59") fan hole spacing.

Specifications

Model	HX-CU420VS
Materials	Copper Fins, Brass Pipes
Tubing Size, ID	(Any)
Product Dimensions WxHxD	5" x 6.8 " x 1.5 " (12.7cm x 17.2cm x 3.8cm)
Product Weight	1.25 pounds (567g)

Additional Information

Brand	Koolance
SKU	HX-CU420VS-D
Weight	2.0000
Color	Black
Radiator Size	120 (1 x 120mm)
Radiator Thickness	38mm
Special Price	\$27.99

