

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com











Forged Copper Northbridge / Southbridge Low-Profile Heatsink

\$34.95

Product Images





Short Description

Using our unique material forming technology, the SLF1-ULTRA is as powerful as it sounds. By maximizing the surface area, the SLF1-ULTRA has more than twice the amount of pin fins compared to the SLF-1 and produces more than 15% more performance as well. The ultimate source for thermal conductivity.

Description

Using our unique material forming technology, the SLF1-ULTRA is as powerful as it sounds. By maximizing the surface area, the SLF1-ULTRA has more than twice the amount of pin fins compared to the SLF-1 and produces more than 15% more performance as well. The ultimate source for thermal conductivity.

Features

- Multiple push pin locations for universal mounting on various board assembly. (hole to hole distance: 53mm to 59mm).
- Formed of pure copper to enhance thermal conductivity.
- Excellent surface flatness minimizes the interface between heat source and heat sink.

Specifications

Dimension: 37x37x13.5(H) mm

Weight: 47g

Material: Forged copper 1100

Base Flatness: Polished mirror surface flatness for machined surfaces are typically in the

range of 0.0003" to 0.0004"per inch

Fan Specifications:

Manufacturer: Adda

Size: 35x35x6.5 mm

Part #: AD3512HB-K73(S)LF

Volts: 12v DC

Current: 0.08 amp

Power: 0.96 watt

RPM: 9500

CFM: 5.2

Noise: 38 dB(A)

Additional Information

Brand	Enzotech
SKU	SLF-1-ULTRA
Weight	0.7000
Color	Copper
Material	Copper



3 4/20/24