



# Eheim 1262 Universal Water Pump

\$185.95

## Product Images





## Short Description

---

Eheim pumps have superior quality ; ceramic shaft, ceramic and carbon bearing. Suitable for use in or out of fresh or salt water. These pumps are nearly silent in operation and are low energy consumption. Centrifugal pump suitable for permanent use, both above and below water. Not Self-priming. Integrated pre-filter. Suction intake nozzle for hose connections. Can be unscrewed and sealed if suction is effected via pre-filter.

## Description

---

Eheim pumps have superior quality ; ceramic shaft, ceramic and carbon bearing. Suitable for use in or out of fresh or salt water. These pumps are nearly silent in operation and are low energy consumption. Centrifugal pump suitable for permanent use, both above and below water. Not Self-priming. Integrated pre-filter. Suction intake nozzle for hose connections. Can be unscrewed and sealed if suction is effected via pre-filter.

## Features

---

0

## Specifications

---

### Models 1260, 1262 Performance Curve

1260: Max Pump Output: 635gph, Max Delivery Head: 12'1", Max Power: 65W

1262: Max Pump Output: 900gph, Max Delivery Head: 11'6", Max Power: 80W



**Specifications:**

- Centrifugal pump suitable for permanent use, both above and below water.
- Not Self-priming.
- Integrated pre-filter. Suction intake nozzle for hose connections. Can be unscrewed and sealed if suction is effected via pre-filter.
- Variable attachment base for optimum assembly.

## Eheim 1262 Universal Pump:

- Pump Output: 900 gph
- Delivery Head: 11`6"
- Power Consumption: 80 W (120V/60Hz)
- Hose Connection (Suction Side): 1"
- Hose Connection (Pressure Side): 3/4"
- Dimensions: 8.6" x 4.6" x 6.3"
- Weight: 5.7 lbs

**What's in the Box**

- Pump with attached 7ft power chord
- 1" Inlet nozzle
- 3/4" outlet nozzle
- manual
- mounting bracket

## Additional Information

---

SKU	1262
Weight	2.0000
Color	Black
Pump Type	Eheim
Pump Voltage	110 VAC

